

FB-01

FIQA
BOUCLÉ

FIQA



PRODUCT INFO

FB-01

FIQA
BOUCLÉ

COMPOSITION: 100% PES
MIN. USABLE WIDTH: .. 138 cm | 54"
WIDTH: 145 cm | 57"
WEIGHT: 630 g/m² | 1,84 lb/yd | 914 g/Lm
ROLL LENGTH: 25 m
TARIFF CODE: 54079200



ECO-
FRIENDLY



PFC
FREE



UV
RESISTANT



EASY
CARE



CONTRACT
GRADE



ANTIFUNGAL

TECHNICAL DETAILS

ABRASION

Martindale EN ISO 12947-2 (rubs) 100 000

Wyzenbeek ASTM D4157-02 (cycles) 100 000

SEAM SLIPPAGE

EN ISO 13936-2
Warp: 2,00 mm
Weft: 3,20 mm

ASTM D4034-19
Warp: 81,3 lbf
Weft: 46,6 lbf

TENSILE STRENGTH / BREAKING STRENGTH

EN ISO 13934-1
Warp: 2575,5 N
Weft: 1079,7 N

ASTM D5034-21
Warp: 511,0 lbf
Weft: 180,2 lbf

PILLING

Pilling on Martindale
EN ISO 12945-2 4-5

Brush pill ASTM D3411-92 Grade 5

TEAR STRENGTH	EN ISO 13937-3	Warp: 183,1 N Weft: 961,0 N
	ASTM D2261-13	Warp: 62,6 lbf Weft: 74,7 lbf
COLOUR FASTNESS TO LIGHT	EN ISO 105-B02	7-8
	EN ISO 105-B04	7-8
	AATCC 16.3.2014	2 000 hrs
COLOUR FASTNESS TO RUBBING	EN ISO 105-X12	Wet: 4-5 Dry: 4-5
COLOUR FASTNESS TO SEA WATER	BS EN ISO 105-E02:2013	4-5
COLOUR FASTNESS TO WATER	EN ISO 105-E01	Results below
	Staining to acrylic	4-5
	Staining to polyester	4-5
	Staining to nylon	4-5
	Staining to cotton	4-5
	Staining to acetate	4-5
	Change in colour	4-5
COLOUR FASTNESS TO HYPOCHLORITE BLEACH	BS EN ISO 105-N01:1995	4-5
CERTIFICATES	GREENGUARD / GREENGUARD Gold	Comply
	OEKO-TEX® Standard 100 Class I	Comply

COLOUR 905 906

DRY 5 5

WET 5 5

COLOUR TESTING

COLOUR FASTNESS TO LIGHT

COLOUR	B02	B04	AATCC 169*
101	8	8	>6000 h
102	8	8	>6000 h
103	8	8	>6000 h
105	8	8	>6000 h
200	8	8	1500 h
300	8	8	>6000 h
401	8	8	1400 h
402	8	8	1400 h
403	8	8	1400 h
501	8	8	2200 h
502	8	8	1300 h
503	8	8	>6000 h
504	8	8	2500 h
505	8	8	1400 h
600	8	8	1700 h
601	8	8	1900 h

COLOUR	B02	B04	AATCC 169*
603	8	7/8	1700 h
604	8	7/8	3500 h
605	8	8	>6000 h
800	8	8	2100 h
801	8	8	2400 h
802	8	8	2100 h
804	8	8	1800 h
805	8	8	1700 h
806	8	8	1600 h
807	8	8	1900 h
900	8	8	1800 h
901	8	8	1800 h
903	8	8	1800 h
904	8	8	>6000 h
905	8	8	1900 h
906	8	8	2000 h

* Option 4, grade 3

COLOURS



900




901




903




904




200




300



103




101



102



800



801




802



807




804




806




906




905




805




603




600




601




604




605




505




502



501



503




504



105



402



403



401

USAGE



OUTDOOR



DOMESTIC
USE



OFFICE



PUBLIC
SPACES



MARINE



HOSPI-
TALITY



LEISURE



HEALTH-
CARE



CURTAINS

