

**FKV-01**

FIQA  
KNITTED  
VELVET

**FIQA**



# PRODUCT INFO

# FKV-01

COMPOSITION: ..... 100% PES  
MIN. USABLE WIDTH: .. 138 cm | 54"  
WIDTH: ..... 142 cm | 56"  
WEIGHT: ..... 340 g/m<sup>2</sup> | 0,97 lb/yd | 483 g/Lm  
ROLL LENGTH: ..... 30 m  
TARIFF CODE: ..... 60019200

FIQA  
KNITTED  
VELVET



ECO-FRIENDLY



PFC FREE



UV RESISTANT



EASY CARE



CONTRACT GRADE



ANTIFUNGAL

## TECHNICAL DETAILS

### ABRASION

Martindale EN ISO 12947-2 (rubs)

50 000

Wyzenbeek ASTM D4157-02 (cycles)

100 000

### SEAM SLIPPAGE

EN ISO 13936-2

Warp: 2,3 mm

Weft: 2,2 mm

ASTM D4034-19

Warp: 95,4 lbf

Weft: 59,2 lbf

### TENSILE STRENGTH / BREAKING STRENGTH

EN ISO 13934-1

Warp: 679,2 N

Weft: 460,9 N

ASTM D5034-21

Warp: 151,0 lbf

Weft: 90,0 lbf

### PILLING

Pilling on Martindale  
EN ISO 12945-2

4-5

Brush pill ASTM D3411-92

Grade 5

<b>TEAR STRENGTH</b>	EN ISO 13937-3	Warp: 48,6 N Weft: 38,7 N
	ASTM D2261-13	Warp: 6,6 lbf Weft: 7,8 lbf
<b>BURSTING STRENGTH</b>	EN ISO 13938-2:2019	607.6 kPa
<b>COLOUR FASTNESS TO LIGHT</b>	EN ISO 105-B02	7-8
	EN ISO 105-B04	7-8
	AATCC 16.3.2014	2 000 hrs
<b>COLOUR FASTNESS TO RUBBING</b>	EN ISO 105-X12	Wet: 4-5
		Dry: 4-5
<b>COLOUR FASTNESS TO SEA WATER</b>	BS EN ISO 105-E02:2013	4-5
<b>COLOUR FASTNESS TO WATER</b>	EN ISO 105-E01	Results below
	Staining to acrylic	4-5
	Staining to polyester	4-5
	Staining to nylon	4-5
	Staining to cotton	4-5
	Staining to acetate	4-5
	Change in colour	4-5
<b>COLOUR FASTNESS TO HYPOCHLORITE BLEACH</b>	BS EN ISO 105-N01:1995	4



# COLOUR TESTING


## COLOUR FASTNESS TO LIGHT

<i>COLOUR</i>	<i>B02</i>	<i>B04</i>	<i>AATCC 169*</i>
100	8	8	3500h
200	8	8	3500h
300	8	8	3500h
301	8	8	3500h
401	8	8	3500h
502	8	8	3500h
600	8	8	1800h
601	8	8	3500h
602	8	8	1400h
800	8	8	3500h


<i>COLOUR</i>	<i>B02</i>	<i>B04</i>	<i>AATCC 169*</i>
801	8	7/8	1600h
802	8	8	3100h
803	8	8	1800h
804	8	8	1700h
805	8	8	3500h
900	8	8	2300h
901	8	7/8	2100h
903	8	7/8	1600h
905	8	8	1900h

\* Option 4, grade 3


# COLOURS



900



903




905



300



100



800



805



802



803



804



801



901



602



601



600



502



401



301



200

# USAGE



OUTDOOR



DOMESTIC  
USE



OFFICE



PUBLIC  
SPACES



MARINE



HOSPI-  
TALITY



LEISURE



HEALTH-  
CARE



CURTAINS

