

FKV-01

FIQA
KNITTED
VELVET


Fiqa



PRODUCT INFO

FKV-01

COMPOSITION: 100% PES
MIN. USABLE WIDTH: .. 138 cm | 54"
WIDTH: 142 cm | 56"
WEIGHT: 340 g/m² | 0,97 lb/yd | 483 g/Lm
ROLL LENGTH: 30 m
TARIFF CODE: 60019200

FIQA
KNITTED
VELVET



ECO-FRIENDLY



PFC FREE



UV RESISTANT



EASY CARE



CONTRACT GRADE



ANTIFUNGAL

TECHNICAL DETAILS

ABRASION

Martindale EN ISO 12947-2 (rubs)

50 000

Wyzenbeek ASTM D4157-02 (cycles)

100 000

SEAM SLIPPAGE

EN ISO 13936-2

Warp: 2,3 mm

Weft: 2,2 mm

ASTM D4034-19

Warp: 95,4 lbf

Weft: 59,2 lbf

TENSILE STRENGTH / BREAKING STRENGTH

EN ISO 13934-1

Warp: 679,2 N

Weft: 460,9 N

ASTM D5034-21

Warp: 151,0 lbf

Weft: 90,0 lbf

PILLING

Pilling on Martindale
EN ISO 12945-2

4-5

Brush pill ASTM D3411-92

Grade 5

TEAR STRENGTH	EN ISO 13937-3	Warp: 48,6 N Weft: 38,7 N
	ASTM D2261-13	Warp: 6,6 lbf Weft: 7,8 lbf
BURSTING STRENGTH	EN ISO 13938-2: 2019	607.6 kPa
COLOUR FASTNESS TO LIGHT	EN ISO 105-B02	7-8
	EN ISO 105-B04	7-8
	AATCC 16.3.2014	2 000 hrs
COLOUR FASTNESS TO RUBBING	EN ISO 105-X12	Wet: 4-5
		Dry: 4-5
COLOUR FASTNESS TO SEA WATER	BS EN ISO 105-E02: 2013	4-5
COLOUR FASTNESS TO WATER	EN ISO 105-E01	Results below
	Staining to acrylic	4-5
	Staining to polyester	4-5
	Staining to nylon	4-5
	Staining to cotton	4-5
	Staining to acetate	4-5
	Change in colour	4-5
COLOUR FASTNESS TO HYPOCHLORITE BLEACH	EN ISO 105-C06: 2010	4
CERTIFICATION	OEKO-TEX® Standard 100 Class I	Comply

COLOUR TESTING


COLOUR FASTNESS TO LIGHT

<i>COLOUR</i>	<i>B02</i>	<i>B04</i>	<i>AATCC 169*</i>
100	8	8	3500h
200	8	8	3500h
300	8	8	3500h
301	8	8	3500h
401	8	8	3500h
502	8	8	3500h
600	8	8	1800h
601	8	8	3500h
602	8	8	1400h
800	8	8	3500h


<i>COLOUR</i>	<i>B02</i>	<i>B04</i>	<i>AATCC 169*</i>
801	8	7/8	1600h
802	8	8	3100h
803	8	8	1800h
804	8	8	1700h
805	8	8	3500h
900	8	8	2300h
901	8	7/8	2100h
903	8	7/8	1600h
905	8	8	1900h

* Option 4, grade 3


COLOURS



900




903



905




300



100



800



805



802



803



804



801



901



602



601



600



502



401



301



200

USAGE



OUTDOOR



DOMESTIC
USE



OFFICE



PUBLIC
SPACES



MARINE



HOSPI-
TALITY



LEISURE



HEALTH-
CARE



CURTAINS

